



All-in-One for better looking ducts



- **VISUALLY MORE APPEALING**
- **ALWAYS OPEN EVEN AT SHUT DOWN (99%)**
- **MINIMUM STRAIN WHEN STARTING UP**
- **BUILT IN HOOPS MEANS FASTER INSTALLATION**
- **MINIMUM TOOLS NEEDED**
- **BOTH ALUMINUM RAILS AND CABLE**
- **DUCT IS SUPPORTED 180°**
- **FULLY SUPPORTED ELBOWS**

Certificate of
Registration
File Number:

A13655



ISO9001:2000

FabricAir

TYPE 1, SINGLE CABLE




All-in-One is supplied in the most cost-effective version installed on cables, as seen in the illustration.

Cable

When using the All-in-One solution on a FabricAir® system, the ducts are kept open and stretched out even when the air is turned off. Furthermore, this solution ensures that starting up the system causes a minimum of strain, which is not always the case with a duct that is hanging deflated.


A flat duct (classic) is closed, meaning that the air has to push itself through the duct at start-up. This often results in the very straining popping effect.

All-in-One is suspended by a single cable system (type 1) or a single H-rail system (type 5 and 8).



Only a slight change of the circular shape occurs with All-in-One when the air is turned off.

Extra support is supplied for 90° elbows.



With air Without air




Aluminum sliding rail


TYPE 5, SINGLE H-RAIL



TYPE 8, SINGLE H-RAIL




All-in-One on an H-rail. Ducts on H-rails are quickly installed or taken down for washing.





Regular systems (Classic H-rail) with single suspension are not round but become flat when the air is turned off. This is not the case with All-in-One systems.

All-in-One ensures that the ducts are always stretched out, even when there is no air in the system.

With All-in-One, support hoops are mounted at fixed intervals. The hoops are removable and are removed prior to washing.



FabricAir® Ducts with All-in-One



FabricAir A/S
Islandsvej 3
4681 Herfølge
Denmark
Phone (+45) 5665 2110
Fax (+45) 5665 9907

FabricAir, Inc.
312-A Swanson Drive
Lawrenceville, GA 30043
USA
Phone (+1) 502 493-2210
Fax (+1) 502 493-4002

FabricAir Ltd.
2 Sherwood Crescent
Rotherham, S60 2NJ
United Kingdom
Phone (+44) 01709 835989
Fax (+44) 01709 835987

FabricAir Turkey Ltd.
Şair Eşref Bulv. No: 6/801
35230 Çankaya, İzmir
Turkey
Phone (+90) 232 446 34 58
Fax (+90) 232 446 34 68

UAB FabricAir
Pramonės 31
62175 Alytus
Lithuania
Phone (+37) 0315 78723
Fax (+37) 0315 77315



FabricAir
info@fabricair.com
www.fabricair.com

Certificate of
Registration
File number:

A13655



ISO9001:2000

All rights reserved to FabricAir®.
The latest version can be downloaded from www.fabricair.com.
We are not responsible for printing errors, nor for modified or discontinued products.

FabricAir® Ducts with All-in-One
4210-121 (2009-SEP US)